

voip - Podrška #14851

Testiranje skype + sippy na w2k officesa

10.07.2008 12:50 - Saša Vranić

Status: Zatvoreno	Početak: 10.07.2008
Prioritet: Visok	Završetak:
Odgovorna osoba: Saša Vranić	% završeno: 0%
Kategorija:	Procjena vremena: 0.00 sat
Ciljna verzija:	
Opis postaviti ovo na w2k računaru u office sa da vidim kako radi	
Povezani tiketi:	
korelira sa voip - Nove funkcije #14748: SippySkype java officesa	Zatvoreno 03.07.2008
korelira sa voip - Nove funkcije #14829: sippy.bring.out.ba - drugi dio - ast...	Zatvoreno 09.07.2008

Historija

#1 - 10.07.2008 12:52 - Saša Vranić

na ticketu [#14748](#) pronašao sippy i podesio ga u

c:\documents and settings\hernad\skype

također skinuo i ove props i cfg fajlove i postavio

nakon pokretanja prva prepreka je

```
C:\Documents and Settings\hernad\Skype>java -Xms64m -Xmx64m -classpath sip.jar;u
a.jar;skype.jar;log4j-1.2.15.jar;sippyskype.jar;. "local.ua.SkypeUA"
'java' is not recognized as an internal or external command,
operable program or batch file.
```

```
C:\Documents and Settings\hernad\Skype>pause
Press any key to continue . . .
```

nema jave na ovoj stanici

#2 - 10.07.2008 13:01 - Saša Vranić

- Fajl jre-6u7-windows-i586-p-s.exe dodano

evo jave

- Windows XP/Vista/2000/2003

#3 - 10.07.2008 13:02 - Saša Vranić

a ha, sada je pokrenuo

```
C:\Documents and Settings\hernad\Skype>java -Xms64m -Xmx64m -classpath sip.jar;u
a.jar;skype.jar;log4j-1.2.15.jar;sippyskype.jar;. "local.ua.SkypeUA"
2008-07-10 13:03:21,118 local.ua.SkypeUA - initSkype
```

ali mi fali vjerovatno skype...

#4 - 10.07.2008 13:14 - Saša Vranić

instalirao sam i skype i podesio ga sa našim account-om

sigmacom_software

kada sam pokrenuo sippy u skype-u se pojavilo

- 1 program (java.exe) want's to use skype (allow or deny), pa sam rekao allow

i sada je to valjda to...

#5 - 10.07.2008 13:42 - Saša Vranić

sada komuniciraju

```
C:\Documents and Settings\hernad\Skype>java -Xms64m -Xmx64m -classpath sip.jar;u
a.jar;skype.jar;log4j-1.2.15.jar;sippyskype.jar;. "local.ua.SkypeUA"
2008-07-10 13:13:19,348 local.ua.SkypeUA - initSkype
2008-07-10 13:13:53,277 local.ua.SkypeUA - SkypeVer:3.8.0.139
2008-07-10 13:13:53,487 local.ua.SkypeUA - SkypeUserId:sigmacom_software
2008-07-10 13:37:39,247 local.ua.SkypeUA - WAITING FOR INCOMING CALL
2008-07-10 13:40:25,266 local.ua.SkypeUA - skypeStatusChanged: ROUTING
2008-07-10 13:40:25,777 local.ua.SkypeUA - skypeStatusChanged: RINGING
2008-07-10 13:40:27,409 local.ua.SkypeUA - skypeStatusChanged: INPROGRESS
2008-07-10 13:40:47,908 local.ua.SkypeUA - skypeStatusChanged: FINISHED
2008-07-10 13:40:47,908 local.ua.SkypeUA - skypeCallStatus - Complete
2008-07-10 13:40:48,930 local.ua.SkypeUA - WAITING FOR INCOMING CALL
```

ovo se desilo kada sam pozvao iz skype-a echo123

#6 - 10.07.2008 13:53 - Saša Vranić

od podešenja sam skontao sljedeće

podešavaju se ove stvari:

- sip.conf / asterisk

```
[89]
type=friend
username=skype1
password=sarabon
host=192.168.45.170
nat=no
dtmfmode=auto
canreinvite=no
qualify=yes
insecure=very ; To allow registered hosts to call without re-authenticating
```

dakle,

- host = ip adresa računara na kome je instaliran skype
- username i pwd = koji će se definisati i u **sippyskype.cfg**

u extenzijama trenutno stoji

```
89 => {
    SetCallerId("skype1");
    Dial(SIP/89/jasminbeganovic, ${DEFTIMEOUT}, tT);
};
```

a u skype-u samom već postoji kontakt koji se zove **jasminbeganovic**

#7 - 10.07.2008 13:56 - Saša Vranić

a u **sippyskype.cfg** imamo sljedeće

```
host_port=5060
outbound_proxy=asterisk.bring.out.ba:5060
realm=asterisk.bring.out.ba
contact_url=sip:89@192.168.45.157:5060
from_url="skype1" <sip:89@asterisk.bring.out.ba:5060>
username=skype1
```

to je dakle ono što se podešava

#8 - 10.07.2008 14:11 - Saša Vranić

podesio sam sada ovako:

podesio na kršku, sasa.vranic account skype

a na asterisku u ext.89 da zove "SIP/89/sasa.vranic"

dobijam na slušalici nešto "pin number?"

#9 - 10.07.2008 14:15 - Saša Vranić

a ha, kvaka je u ovome:

ovo se stavi u siptoskypeauth.props

```
*,*,192.168.*.*,calleeid
```

#10 - 10.07.2008 14:16 - Saša Vranić

i sada to radi zvoni moj account na kršku

#11 - 10.07.2008 14:18 - Saša Vranić

u sippyskype.cfg sam na ovom podešenju također promjenio ip adresu prema hostu na kojem je skype

```
contact_url=sip:89@192.168.45.157:5060
```

=>

```
contact_url=sip:89@192.168.45.170:5060
```

#12 - 10.07.2008 14:34 - Saša Vranić

sada sam testirao da i kada zovem sa svog accounta sasa.vranic na sigmacom_software account to radi i zvone svi telefoni u office-u

evo šta sippy kaže

```
2008-07-10 14:15:45,254 local.ua.SkypeUA - WAITING FOR INCOMING CALL
2008-07-10 14:25:21,293 local.ua.SkypeUA - callReceived - incoming Skype Call fr
om:Saša Vraniš [sasa.vranic] status:RINGING
2008-07-10 14:25:21,313 local.ua.SkypeUA - handleSkypeCall - Direct Sip Dial:sip
:30@asterisk.bring.out.ba
2008-07-10 14:25:21,323 local.ua.SkypeUA - callReceived - Forwarding Skype to:si
p:30@asterisk.bring.out.ba from:"sasa.vranic" <sip:89@asterisk.bring.out.ba:5060
>
2008-07-10 14:25:21,994 local.ua.SkypeUA - skypeStatusChanged: RINGING
2008-07-10 14:25:22,124 local.ua.SkypeUA - onUaCallRinging
2008-07-10 14:25:27,181 local.ua.SkypeUA - skypeStatusChanged: REFUSED
2008-07-10 14:25:27,181 local.ua.SkypeUA - skypeCallStatus - Complete
```

kako je on to skontao da routira na sip:30 fakat mi nije jasno, gdje se podešava ????

#13 - 10.07.2008 14:35 - Saša Vranić

ah, jojijji, našao sam

evo podešenja u SkypeToSipAuth.props

```
*,sip:30@asterisk.bring.out.ba
```

#14 - 10.07.2008 14:59 - Saša Vranić

Pozivi fiksnih brojeva preko skype-a

u extensions.ael

```
globals => {
    SKYPE_TRUNK="SIP/89";
    SKYPE_DIRECT=1;
}
```

te zatim naštimo da sa nekim predznakom zovemo npr. 8

i to naštimo također u istom conf fajlu

```
_8. => {
    SetCallerId("sigmacom");
    Dial(${SKYPE_TRUNK}/${EXTEN:${SKYPE_DIRECT}},400,tT);
};
```

i to je to.

#15 - 10.07.2008 15:52 - Saša Vranić

naštimao sam recimo za zvanje njemačke sljedeće

ako se zove njemačka onda ide preko skype-a, a ostali pozivi idu preko isdn-a

```
_0. => {  
    &set_caller_id();  
  
    switch (${EXTEN:0:5}) {  
        case 00492:  
            Dial (${SKYPE_TRUNK}/${EXTEN}, 400, tT);  
        default:  
            Dial (${TRUNK}/${EXTEN:${TRUNKMSDDIRECT}}, 400, tT);  
    };  
};
```

#16 - 10.07.2008 15:52 - Saša Vranić

i to sam testirao, to radi

#17 - 25.08.2008 11:20 - Saša Vranić

- Status promijenjeno iz Novo u Zatvoreno

Fajlovi

jre-6u7-windows-i586-p-s.exe	15,2 MB	10.07.2008	Saša Vranić
------------------------------	---------	------------	-------------